

L Number	Hits	Search Text	DB	Time stamp
-	162	713/201.ccls. and log adj1 (file or records or activit\$ or report\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:40
-	12	713/201.ccls. and log adj1 (file or records or activit\$ or report\$) with (review or analyz\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:44
-	597	log adj1 (file or records or activit\$ or report\$) with (review or analyz\$ or quer\$ or profil\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 09:43
-	220	log adj1 (file or records or activit\$ or report\$) with (review or analyz\$ or quer\$ or profil\$) and (security or \$crypt\$ or \$cipher\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 14:41
-	34	log adj1 (file or records or activit\$ or report\$) with (review or analyz\$ or quer\$ or profil\$) and (security or \$crypt\$ or \$cipher\$) and (intrusion or virus or malware or worm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 09:46
-	64	log adj1 (file or records or activit\$ or report\$) with quer\$ and (security or \$crypt\$ or \$cipher\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 14:05
-	0	log adj1 (file or records or activit\$ or report\$) with (review or analyz\$ or quer\$ or profil\$) and (security or \$crypt\$ or \$cipher\$) and sgid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 14:42
-	7	713/201.ccls. and log adj1 (file or records or activit\$ or report\$) and (sgid or "set group")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:46
-	3	713/201.ccls. and log adj1 (file or records or activit\$ or report\$) and (sgid)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 14:49
-	3	log adj1 (file or records or activit\$ or report\$) and (sgid)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 14:49
-	26	sgid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 14:50
-	11	sgid and exploit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 15:20
-	20	"set group id"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:47

-	4	"set group id" and query	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 09:58
-	5	"setgid" and query	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 10:03
-	14	"setgid"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 14:50
-	2	setuid with exploit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 13:36
-	14	s\$\$uid with exploit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:48
-	3	s\$uid with exploit and log\$file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:06
-	3	((group adj0 id) or gid) with (null or zero) and (attack or exploit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 16:38
-	41	((group adj0 id) or gid) with (null or zero)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:05
-	1	((group adj0 id) or gid) with (null or zero) and spawn\$ with shell	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 17:05
-	3	s\$uid with exploit and log\$file and spawn\$ and shell	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:41
-	1	"5978791".PN.	USPAT	2004/01/20 10:42
-	1	"5844986".PN.	USPAT	2004/01/20 10:44
-	1	"5778070".PN.	USPAT	2004/01/20 10:47
-	1	"5757913".PN.	USPAT	2004/01/20 10:47
-	1	"5724569".PN.	USPAT	2004/01/20 10:49
-	1	"5680585".PN.	USPAT	2004/01/20 10:50
-	1	"5649194".PN.	USPAT	2004/01/20 10:51
-	1	"5638509".PN.	USPAT	2004/01/20 10:51
-	1	"5621889".PN.	USPAT	2004/01/20 10:52
-	1	"5574898".PN.	USPAT	2004/01/20 11:22
-	1	"5511188".PN.	USPAT	2004/01/20 11:23
-	1	"5724569".PN.	USPAT	2004/01/20 11:25
-	2	5621889.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 15:42

-	37	(solaris or unix) and expert adj1 system and forward adj1 chain\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:49
-	15	(solaris or unix) and expert adj1 system and forward adj1 chain\$ and (ids or virus adj1 detect\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:47
-	10	(solaris) and expert adj1 system and forward adj1 chain\$ and (ids or virus adj1 detect\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:48
-	2	5991881.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 15:42
-	270	707/3-9.ccls. and log adj1 (file or records or activit\$ or report\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:44
-	7087	707/3-9.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:44
-	17	707/3-9.ccls. and log adj1 (file or records or activit\$ or report\$) with (review or analyz\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:44
-	5	707/3-9.ccls. and log adj1 (file or records or activit\$ or report\$) and (sgid or "set group")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:46
-	1	707/3-9.ccls. and "set group id"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:47
-	1	707/3-9.ccls. and s\$\$uid with exploit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:48
-	1	707/3-9.ccls. and (solaris) and expert adj1 system and forward adj1 chain\$ and (ids or virus adj1 detect\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:49
-	4	707/3-9.ccls. and (solaris or unix) and expert adj1 system and forward adj1 chain\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:49
-	5	("setgid" or sgid) with exploit and root	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:26

-	5	("setgid" or sgid or (stack adj0 overflow)) with exploit and root	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:27
-	6	((("setgid" or sgid or suid or "setuid") or (stack adj0 overflow)) with exploit and root	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 16:28
-	1883	(buffer adj3 overflow) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:46
-	86	713/\$.ccls. and (buffer adj3 overflow) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:49
-	62	713/\$.ccls. and (buffer adj3 overflow) and network same security	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 12:58
-	9	713/\$.ccls. and (stack adj3 overflow) and network same security	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:21
-	0	707/\$.ccls. and (stack adj3 overflow) and network same security	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:21
-	6	709/\$.ccls. and (stack adj3 overflow) and network same security	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:22
-	8	("set user ID" or setuid or suid or "set group id" or setgid or sgid) WITH (attack or exploit or hack)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:16
-	8	("set user ID" or setuid or suid or "set group id" or setgid or sgid) WITH (misuse or attack or exploit or hack)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:14
-	64	("set user ID" or setuid or suid or "set group id" or setgid or sgid) and (attack or exploit or hack)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:27
-	30	("set user ID" or setuid or suid or "set group id" or setgid or sgid) and (attack or exploit or hack) and (zero)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:31
-	1	("set user ID" or setuid or suid or "set group id" or setgid or sgid) and (attack or exploit or hack) same (zero)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:35

-	10	("set user ID" or setuid or suid or "set group id" or setgid or sgid) and (attack or exploit or hack) same (zero or null or invalid or illegal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 16:56
-	13	("set user ID" or setuid or suid or "set group id" or setgid or sgid or "access privilege") and (attack or exploit or hack) same (zero or null or invalid or illegal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:34
-	27	("set user ID" or setuid or suid or "set group id" or setgid or sgid or "access privilege") and (attack or exploit or hack or audit) same (zero or null or invalid or illegal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:40
-	18	("set user ID" or setuid or suid or "set group id" or setgid or sgid) and (attack or exploit or hack or audit) same (zero or null or invalid or illegal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:43
-	75	("set user ID" or setuid or suid or "set group id" or setgid or sgid) and (attack or exploit or hack or audit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:06
-	5	("set user ID" or setuid or suid or "set group id" or setgid or sgid) and (effective adj0 group adj0 id)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:11
-	7	("set user ID" or setuid or suid or "set group id" or setgid or sgid) and ((effective adj0 group adj0 id) or egid)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:32
-	0	(orphan adj0 (process or thread or function or procedure)) and (misuse or virus or worm or malware or attack or trojan) and (unix or aux or linux or solaris)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:36
-	0	(orphan adj1 (process or thread or function or procedure)) and (misuse or virus or worm or malware or attack or trojan) and (unix or aux or linux or solaris)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:35
-	0	(orphan adj0 (process or thread or function or procedure)) and (misuse or virus or worm or malware or attack or trojan)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:36
-	4	(orphan adj0 (process or thread or function or procedure or object)) and (misuse or virus or worm or malware or attack or trojan)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:37
-	17	(orphan adj0 (process or thread or function or procedure or object)) and (audit or tracking or detection or misuse or virus or worm or malware or attack or trojan)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:38